





SMART FLT SERIES

Forklift Lithium Batttery 25.6V206Ah

LITHIUM STORAGE provides a fully customized smart lithium-ion battery adaptable solution for forklifts. We select outer box and inner box combination solutions to design our forklift lithium batteries, inter-box for batteries, outer-box for dimension and additional weight. The advantage of this design is to maximize adapting to more forklift brands and models by using the same inner box. Our fully featured customizable solution can retrofit forklift brands including Toyota, Crown, Hyundai, HELI, LINDE, Yale, Mitsubishi, NICHIYU, and Jungheinrich.

















ITEM		SPECIFICATIONS	NOTE
Nominal voltage(V)		25.6	
Operating voltage(V)	min	20	
	max	29.2	
Group mode		206Ah1P8S	
Nominal energy (KWh)		5.27	25±2°C
Weight(Kg)		≈80kg	not additional weight
Nominal capacity(Ah)		206	25±2°C
Maximum continuous charge current(A)		100	25±2°C
Maximum continuous discharge current (A)		160	25±2℃
Maximum pulse discharge current(≤5s) (A)		300	25±2°C
Shipping consistency (mv)		30	Voltage difference between cell $<$ 30mV
Charging port		REMA160A (female)	Customizable
Discharging port		REMA160A(female)	Customizable
GPRS communication		4G	optional
SOC operating range (%)		20~100	
Insulation requirements (M Ω)		≥20	500V DC, High voltage output to battery shell, at the normal temperature and humidity
cooling method		Natural cooling	
Shipping capacity		≈30%	SOC is consistency in the same batch
Dimension L (mm)		550	For Crown WP3035-45
Dimension B (mm)		195	Outer box dimension can be costomizable according to the brand and model of
Dimension H (mm)		520	forklifts
Charger		Optional	

CHARACTERISTIC

Remote&Onsite Product Support

O GPS&GPRS function

[] Charger communication commissioning

Charge and discharge connector adaption

A Vehicle CAN communication support

Customization service against different brand of forklifts

IP 54 structure design

Flexible supply in additional weight

Interactive integrated Display with voice, buzz and switch button

INTELLIGENT CLOUD-NETWORK

Full cloud interconnection between device terminals to cloud terminal enabling the following monitoring functions online.


- Monitor the operation record and status of forklift batteries in real-time
- Realize remote alarm and early warning
- Trace software and hardware information
- Supports the BMS program air upgrade and parameter re-setting

Battery information can be tracked through the device QR code from the following access.



- Phone App: Battery Pack Assistant
- Applet of WeChat
- Web Gate







- 😸 info@lslithiumbattery.com
- www.lslithiumbattery.com
- Nanjing office | Wenzhou Factory | UK Branch
- +86-(0)25-87736807
- +86-(0)25-87739887